



Bus. stody March 2016

Max.Marks:75

Time: 2:30hrs

Ins	tructio	ons:		
	(2) Ea	Il questions are compulsory. ach question carries the same marks. nly simple calculators are allowed.		
Q1	(A) A	attempt any eight sub-questions out of ten.	(8)	
	(i) (ii) (iii) (iv) (v) (vi) (vii) (viii) (ix) (x)	Intersection point of both ogive curve gives Write the formula of lower Quartile for continuous data. $Q_2=M_d$, True or False. If r is negative then b_{yx} will be Write the formula of S.D. for continuous data. Write the formula of coefficient of Q.D. $r=-1$, indicates Write the formula of rank correlation (non-repeated) Shade the line $3x+12y \geq 36$. Write the range of correlation coefficient		
Q:	(B) A	Attempt any seven sub-questions out of ten.		
	(i) (ii) (iii) (iv) (v) (vi) (vii) (viii) (ix) (x)	Write the formula of combined S.D. Write the normal equations of line y on x. $Q_1=10, Q_2=50, Q_3=90, Q.D.$ If $n=10, \sum fx=40$, find mean. Write the formula of C.V. Ogive curve is also called as Write the three steps of formulation in LPP. Write the formula of b_{xy} . Modal class has maximum frequency (T/F). Write the formula of r(any one).		

Q2 (A) Drav	v an ogive	for the	following data.
-------------	------------	---------	-----------------

(5)

Age in years	10-14	14-18	18-22	22-26	26-30
No. of insurance policyholders	12	24	15	30	20

Hence locate: Median and the two quartiles.

OP3 ABD

- (B) The mean wage of 200 workers working in three shifts in a factory is Rs.520. The average of 90 workers working in the first shift is Rs. 500. The average of 60 workers working in the second shift is Rs. 450. What is the average of workers working in the third shift? (5)
- (C) Find the coefficient of rank correlation from the following data giving the number of hours of daily practice and the number of minutes taken to run a track by 8 runners. (5)

No. of hours	3.5	1.7	2.4	2.5	1.5	3	2	2.25
No. of minutes	7	9.5	8	8.9	10	6	7.5	6.5

OR

- Q2 (A) The arithmetic mean and the standard deviation of the values of 100 items in a group are 80 and 5 respectively. In a second group of 25 items, each item has a value equal to 60. Find the arithmetic mean and the standard deviation of the values of the 125 items of the two groups taken together. (7)
- (B) The regression of y on x for certain bivariate data was found to be 10y=3x+155 and that of x on y was 10x=7y+10. Find x, y and r. (8)

Q3 (A) Min(Z)=
$$12x + 42y$$

Subject to: $x + 2y \ge 3$
 $x + 4y \ge 4$
 $3x + y \ge 3$
 $x \ge 0, y \ge 0$

(5)

(B) Find Q.D. for the given data.

(5)

C.I	10-12	12-14	14-16	16-18	18-20	20-22
F	3	6	9	12	4	3

(C) Calculate median and upper quartile for the given data:

(5)

Income Rs	in	500-1000	1000-1500	1500-2000	2000-2500	2500-3000
No. persons	of	30	50	100	40	30

OP3 ABD

OR

Q3 (A) Find the missing frequency if mean is 1.46

(5)

X	0	1	2	3	4	5
F	46	76		25	10	5

(B)Calculate mode for the given data:

(5)

Amt. Rs	in	400-600	600-800	800-1000	1000- 1200	1200- 1400	1400- 1600
No. C)f r	5	10	30	25	20	10

(C) Following data gives the import and export of india, draw the multiple bar diagram.

Year	Rs. In crores		
	Import	Export	
1994-95	171	118	
1995-96	197	110	
1996-97	200	125	
1997-98	223	157	

Q4(A) Find both regression line for the given data, using least square method.(7

X	0	1	2	3	4
Y	1	1.8	3.3	4.5	6.3

(B) A toy manufacturer produces scooters and bicycles, each of which must be processed through two machines A and B. machine A has a maximum of 120 hours available and machine B has a maximum of 180 hours available. Manufacturing a scooter requires 4 hours on machine A and 10 hours on machine B. Manufacturing a bicycle requires 6 hours on machine A and 3 hours on machine B. If profits are Rs. 700 for a bicycle and Rs. 800 for a scooter, formulate the L.P.P. to maximize the profit. (8)

OP3ABD

Q4(A) Find coefficient of correlation given the following data. (5) $\sum x=20$, $\sum y=11.58$, $\sum x^2=90$, $\sum y^2=27.03$, $\sum xy=47.13$, n=5. (B) Find r. (5) X 101 108 115 125 130 Y 110 115 120 120 125 (C) Find regression line Y on X. (5) $\sum (x - \bar{x})(y - \bar{y}) = 135$, $\sum (x - \bar{x})^2 = 96$, $\sum (y - \bar{y})^2 = 206$, $\sum x = 206$ $120, \Sigma y = 180, n = 5$ Q5 (A) Write properties of Arithmetic mean. (7) (B) Write the functions and limitations of statistics. (8) OR Q5 Attempt any three out of five. (15)(A) Write in short on quartiles. (B) Write in short on the properties of regression coefficient. (C) Write in short on primary and secondary data. (D)The sum of the upper and the lower quartiles is found to be 160 and their

difference is 80. What is the value of the two quartiles?
(E) Write in short on stratified sampling and systematic sampling.